

Conductors

Conductors

Copper

Bare Copper Tape*

Part No.	Description (mm)	Unit of Sale	Weight Kg (per mtr.)
SBCT2530	25 x 3	50	0.67
SBCT2540	25 x 4	30	0.89
SBCT2560	25 x 6	30	1.33
SBCT3130	31 x 3	50	0.83
SBCT3160	31 x 6	30	1.65
SBCT3850	38 x 5	30	1.69
SBCT3860	38 x 6	30	2.02
SBCT4040	40 x 4	50	1.42
SBCT5040	50 x 4	30	1.78
SBCT5060	50 x 6	20	2.68



PVC Covered Copper Tape*

Part No.	Description (mm)	Colour	Unit of Sale (mts)	Weight Kg (per mtr.)
SCTBL-253	25 x 3	Black	50	0.77
SCTBR-253	26 x 3	Brown	50	0.77
SCTGN-253	27 x 3	Green	50	0.77
SCTGY-253	28 x 3	Grey	50	0.77
SCTST-253	29 x 3	Stone	50	0.77
SCTWH-253	30 x 3	White	50	0.77
SCTYG-253	31 x 3	Yellow/Green	50	0.79
SCTGN-256	25 x 6	Green	30	1.53
SCTGN-506	50 x 6	Green	50	2.95



*Also available tinned

Conductors


Copper Cable

Part No.	Description (mm ²)	Stranding	Weight Kg (per mtr.)
SBCC6	6	7-1.04	0.05
SBCC10	10	7-1.45	0.12
SBCC16	16	7-1.60	0.15
SBCC25	25	7-2.14	0.23
SBCC35	35	7-2.52	0.31
SBCC50	50	19-1.78	0.43
SBCC70	70	19-2.14	0.62
SBCC95	95	19-2.52	0.85
SBCC120	120	37-2.03	1.09
SBCC150	150	37-2.25	1.33
SBCC185	185	37-2.52	1.67
SBCC240	240	61-2.20	2.21
SBCC300	300	61-2.52	2.76
SBCC400	400	61-2.85	3.53



PVC Covered Stranded Copper Cable

Part No.	Description (mm ²)	Stranding	Weight Kg (per mtr.)
SGY016	16	7-1.60	0.19
SGY025	25	7-2.14	0.29
SGY035	35	7-2.52	0.41
SGY050	50	19-1.78	0.53
SGY070	70	19-2.14	0.73
SGY095	95	19-2.52	1.00
SGY120	120	37-2.03	1.16
SGY150	150	37-2.25	1.54
SGY185	185	37-2.52	2.01
SGY240	240	61-2.20	2.49
SGY300	300	61-2.52	3.05
SGY400	400	61-2.85	3.90



Conductors

Hard Drawn Copper Bar

Bare

Part No.	Description (mm)	Weight Kg (per mtr.)
SHD-2530	25 x 3	0.67
SHD-2560	25 x 6	1.33
SHD-3860	38 x 6	2.03
SHD-5060	50 x 6	2.67
SHD-5010	50 x 10	4.45



Flexible Copper Braid

Part No.	Description (mm)	Weight Kg (per mtr.)
SHBB-1515	15 x 1.5	0.096
SHBB-253	25 x 3.5	0.34
SHTB-253	25 x 3.5 (Tinned)	0.34



Solid Round Conductor

Bare Solid Round Conductor*

Part No.	Description (Dia.)	Material	Cross Section (mm ²)	Unit of Sale (mts)	Weight Kg (per mtr.)
SHBSC-8C	8	Copper	50.27	50	0.45
SHBSC-8A	8	Aluminium	50.27	50	0.12



*Also available PVC covered

Conductors

Aluminium Conductor

Aluminium Tape

Part No.	Description (mm)	Unit of Sale	Weight Kg (per mtr.)
SBAT-253	25 x 3	50	0.21



PVC Covered Aluminium Tape

Part No.	Description (mm)	Colour	Unit of Sale (mts)	Weight Kg (per mtr.)
SATBL-253	25 x 3	Black	50	0.3
SATBR-253	25 x 3	Brown	50	0.3
SATGN-253	25 x 3	Green	50	0.3
SATGY-253	25 x 3	Grey	50	0.3
SATST-253	25 x 3	Stone	50	0.3
SATWH-253	25 x 3	White	50	0.3



Conductor Fixings

Conductor Fixings

DC Tape Clips

Bare Copper

Part No.	Conductor Size (mm)	Conductor	Material	Weight Kg
SHDTC-253	25 x 3	Bare Copper	Gunmetal	0.07
SHDTC-256	25 x 6	Bare Copper	Gunmetal	0.08
SHDTC-406	40 x 6	Bare Copper	Gunmetal	0.14
SHDTC-506	50 x 6	Bare Copper	Gunmetal	0.16
SHDTC-253P	25 x 3	PVC Copper Tape	Gunmetal	0.10
SHDTC-256P	25 x 6	PVC Copper Tape	Gunmetal	0.13
SHDTC-506P	50 x 6	PVC Copper Tape	Gunmetal	0.26
SHDTC-253A	25 x 3	Aluminium	Aluminium	0.03
SHDTC-253PA	25 x 3	PVC Aluminium	Aluminium	0.04



Non Metallic

Part No.	Conductor Size (mm)	Conductor	Colour	Weight Kg
SPDCT-253	25 x 3	Bare Copper	Grey	0.01
SPDCT-506	50 x 6	Bare Copper	Grey	0.02
SPDCT-253BN	25 x 3	PVC Copper Tape	Brown	0.01
SPDCT-253BL	25 x 3	PVC Copper Tape	Black	0.01
SPDCT-253GN	25 x 3	PVC Copper Tape	Green	0.01
SPDCT-253GY	25 x 3	PVC Copper Tape	Grey	0.01
SPDCT-253ST	25 x 3	PVC Copper Tape	Stone	0.01
SPDCT-253WH	25 x 3	PVC Copper Tape	White	0.01



Conductor Fixings

Slate Holdfast

Part No.	Conductor Size (mm)	Conductor	Colour	Weight Kg
SPDCT-253	25 x 3	Bare Tape	Grey	0.01
SPDCT-506	25 x 3	Bare Tape	Brown	0.02
SPDCT-253BN	25 x 3	PVC Tape	Brown	0.01
SPDCT-253BL	25 x 3	PVC Tape	Black	0.01
SPDCT-253GY	25 x 3	PVC Tape	Grey	0.01
SPDCT-253ST	25 x 3	PVC Tape	Stone	0.01



One Hole Cable Clip

Part No.	Conductor Dia. (mm)	Weight Kg
SHOH-8	8	0.01
SHOH-12	12	0.01
SHOH-16	16	0.01
SHOH-20	20	0.01

